

Fig. 1




Fig. 4




Fig. 5




Fig. 6

Insightlook Environment - [Text connections]					
Application	DataImports	DataAnalysis	QueriesAnalysis	Search	Admin
<div> <input type="checkbox"/> Clusters <div> 1. homosexual, aids 2. cost 712 4. bartonella, aids </div> </div>					
<div> <input type="checkbox"/> Employees in selected cluster <div> Name Dr. Zamir Mail Address Zamir@MIL.com Job Title Analyst Phone Number 551212 </div> </div>					
<div> <input type="checkbox"/> The cost per patient typically ranges from.....many people without adequate insurance </div>					
<div> <input type="checkbox"/> Unfortunately, a disproportionate number of people with HIV are poor or lack insurance thus increasing... </div>					
<div> <input type="checkbox"/> According to the NEJM editorial, Medicaid is the largest health insurance program... </div>					
<div> <input type="checkbox"/> Not surprisingly, the RUND study showed that drug costs were higher among underserved groups, including..., and patients without private insurance. </div>					
<div> <input type="checkbox"/> While many insurance carriers pays for these tests, many Medicaid programs do not... </div>					
<div> <input type="button" value="Show Document"/> </div>					

☐ aids

patient, available
 states, limited, some, others
 researchers, 1996, average, 1998
 insurance, doctors
 disease, survival, progression, improved, welcome, response

☐ Text connections

Pressing OK will refresh all data presented in this form

Fig. 7

